OpenClaw 4.22故障修复手册

背景

由于OpenClaw 4.22存在不兼容更新，自动更新后会导致飞书对话无法响应。
OpenClaw需要降级到4.15版本。

操作步骤

登录致远一号云平台


1. 进入致远一号云平台aic.sjtu.edu.cn，点击右上角登录，然后使用jAccount登录




2. 点击右上角”控制台“→”默认项目“，进入个人控制台



3. 点击"弹性云服务器ECS"




4. 记住云服务器的弹性公网IP地址，或点击旁边的复制按钮




SSH登录云服务器


5. 【Windows】打开"开始"菜单，搜索PowerShell，点击打开；【MacOS】打开终端应用



6. 输入命令 `ssh root@<云服务器弹性公网IP>`，<云服务器弹性公网IP>用刚刚在控制台复制的IP，比如 `ssh root@10.147.xx.xx`，回车，输入 `yes`



7. 输入云服务器密码，**密码是隐藏的**，输入后直接回车，进入云服务器后台



降级OpenClaw

8. 输入命令`npm uninstall -g openclaw`，卸载OpenClaw

9. 输入命令`npm install -g openclaw@2026.4.15 --registry=https://registry.npmmirror.com`，安装OpenClaw 4.15版本

```
❯ npm uninstall -g openclaw

up to date in 443ms
❯ npm install -g openclaw@2026.4.15 --registry=https://registry.npmmirror.com
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache i
f you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerfu
l.
npm warn deprecated npmlog@5.0.1: This package is no longer supported.
npm warn deprecated rimraf@3.0.2: Rimraf versions prior to v4 are no longer supported
npm warn deprecated glob@7.2.3: Glob versions prior to v9 are no longer supported
npm warn deprecated are-we-there-yet@2.0.0: This package is no longer supported.
npm warn deprecated gauge@3.0.2: This package is no longer supported.
npm warn deprecated node-domexception@1.0.0: Use your platform's native DOMException instead

added 795 packages in 2m

134 packages are looking for funding
  run `npm fund` for details
```

10. 输入命令`npx -y @larksuite/openclaw-lark install`，安装配套版本的飞书插件

```
❯ npx -y @larksuite/openclaw-lark install
OpenClaw 2026.4.15 is compatible with openclaw-lark 2026.4.8
Plugin is already installed. Starting update process...
Starting update process...
Cleaning up configuration...
Uninstalling old plugin version...
Config warnings:\n- plugins.entries.feishu: plugin feishu: duplicate plugin id detected; global plugin will be overridde
n by bundled plugin (/home/hpccyf/.openclaw/extensions/feishu/index.ts)
Config warnings:\n- plugins.entries.feishu: plugin feishu: duplicate plugin id detected; global plugin will be overridde
n by bundled plugin (/home/hpccyf/.openclaw/extensions/feishu/index.ts)


🦞 OpenClaw 2026.4.15 (041266a) — Give me a workspace and I'll give you fewer tabs, fewer toggles, and more oxygen.

◇  Config warnings ──────────────────────────────────────────────────────────────────────────────────────────────────────┐
│                                                                                                                       │
│  - plugins.entries.feishu: plugin feishu: duplicate plugin id detected; global plugin                                 │
│    will be overridden by bundled plugin                                                                               │
│    (/home/hpccyf/.openclaw/extensions/feishu/index.ts)                                                                │
│                                                                                                                       │
├───────────────────────────────────────────────────────────────────────────────────────────────────────────────────────┘
```

11. 显示`当前已配置飞书机器人，是否继续使用该机器人？`输入`y`后回车

```
Extracting /tmp/openclaw-lark-KaYBtN/larksuite-openclaw-lark-2026.4.8.tgz…
Plugin "openclaw-lark" has 2 suspicious code pattern(s). Run "openclaw security audit --deep" for details.
Installing to /home/hpccyf/.openclaw/extensions/openclaw-lark…
Installing plugin dependencies…
Config warnings:
- plugins.entries.feishu: plugin feishu: duplicate plugin id detected; global plugin will be overridden by bundled plugi
n (/home/hpccyf/.openclaw/extensions/feishu/index.ts)
Config overwrite: /home/hpccyf/.openclaw/openclaw.json (sha256 1ccb3a80980d48667d804ae5485cc47786537799d972056e6af87134d
b4d0efd → 79042e48c2e85f595dec0372b2de5a4f80dd5b225016119e8411bf97316240d7, backup=/home/hpccyf/.openclaw/openclaw.json
.bak)
Config warnings:\n- plugins.entries.feishu: plugin feishu: duplicate plugin id detected; global plugin will be overridde
n by bundled plugin (/home/hpccyf/.openclaw/extensions/feishu/index.ts)
Installed plugin: openclaw-lark
Restart the gateway to load plugins.
? Found Feishu bot with App ID cli_a92c0bae4df89bde. Use it for this setup (当前已配置飞书机器人[App ID:
cli_a92c0bae4df89bde]，是否继续使用该机器人)? (Y/n)
```

12. 如果`显示无效的 App ID 或 App Secret`，需要去飞书开放平台 https://open.feishu.cn/，复制飞书机器人的应用凭证，对应粘贴到终端





```
× Invalid App ID or App Secret (× 无效的 App ID 或 App Secret)
? Enter your App ID (请输入 App ID): cli_a92c0bae4df89bde
? Enter your App Secret [press Enter to confirm] (请输入 App Secret [按回车确认]): ********************************
Verifying credentials (正在校验凭证)...
✓ Credentials verified (✓ 凭证校验成功)
Config warnings:\n- plugins.entries.feishu: plugin feishu: duplicate plugin id detected; global plugin will be overridden by bundled plugin (/home/hpccyf/.openclaw/extensions/feishu/index.ts)
```

12.5 如果重启gateway失败，显示`Failed to restart OpenClaw gateway`，运行命令`openclaw gateway –fix`修复

13. 运行命令`openclaw gateway status`，显示`Runtime: running`，说明OpenClaw修复完成

12. 龙虾复活了！



15. 如果需要关闭OpenClaw自动更新，编辑`~/.openclaw/openclaw.json`，修改`update.auto.enabled=false`

```
{
  update: {
    channel: "stable",  // 更新频道：stable | beta | dev
```

```
    auto: {
      enabled: false,  // 关闭自动更新
      stableDelayHours: 6,  // stable 频道延迟小时数
      stableJitterHours: 12,  // stable 频道随机抖动小时数
      betaCheckIntervalHours: 1  // beta 频道检查间隔小时数
    }
  }
}
```

参考

OpenClaw 飞书官方插件使用指南

https://bytedance.larkoffice.com/docx/MFK7dDFLFoVlOGxWCv5cTXKmnMh